



VERIFIED - RESULTS AUTHENTICATED BY CERTIKLABS

Verified record

PRODUCT

MOTS-C 20mg

Prepared for [PeptidesDirect](#)

LOT / SAMPLE Clear Cap	REPORT DATE 2026-05-11	CUSTOMER PeptidesDirect
VERIFICATION ID CL - PD - MOTS - C - 20MG - ED126562	DOCUMENT TYPE Endotoxin report	TESTS REPORTED 1

ENDOTOXIN RESULT

TEST	METHOD	SPECIFICATION	RESULT	STATUS
Endotoxin	LAL (USP <85>), 2 replicates	Assay sensitivity <= 0.05 EU/mL	Pass	PASS



SCAN TO VERIFY
this exact lot

AUTHENTICATION CHAIN

- 1 Sample received**
Sample submitted by the customer and logged against this lot.
- 2 Laboratory analysis**
Tested by a CertikLabs partner laboratory under contract.
- 3 Authenticated**
Results checked by CertikLabs against the original lab record.
- 4 Published**
Released to the permanent public record at the URL below.



Analytical testing was performed by an independent partner laboratory under contract to CertikLabs. CertikLabs authenticated the results against the original laboratory record before publication. Results apply only to the sample and lot identified above and make no safety, efficacy, sterility or intended-use claims. For research use only.

RECORD FINGERPRINT

ed1265628598ead72289434eeec575fe314e7631d56912bc2b55e7c888204170

