



VERIFIED - RESULTS AUTHENTICATED BY CERTIKLABS

Verified record

### PRODUCT

## Retatrutide 40mg

Prepared for **PeptidesDirect**

|                                                    |                                                 |                                   |
|----------------------------------------------------|-------------------------------------------------|-----------------------------------|
| LOT / SAMPLE<br><b>VECL248</b>                     | REPORT DATE<br><b>2026-04-18</b>                | CUSTOMER<br><b>PeptidesDirect</b> |
| VERIFICATION ID<br>CL-PD-RETATRUTIDE-40MG-72F02627 | DOCUMENT TYPE<br><b>Certificate of analysis</b> | TESTS REPORTED<br><b>2</b>        |

### ANALYTICAL RESULTS

| TEST             | METHOD         | SPECIFICATION | RESULT        | STATUS          |
|------------------|----------------|---------------|---------------|-----------------|
| <b>Purity</b>    | RP-HPLC        | As reported   | <b>99.93%</b> | <b>REPORTED</b> |
| <b>Endotoxin</b> | LAL (USP <85>) | As reported   | <b>Pass</b>   | <b>PASS</b>     |



SCAN TO VERIFY  
this exact lot

### AUTHENTICATION CHAIN

- 1 Sample received**  
Sample submitted by the customer and logged against this lot.
- 2 Laboratory analysis**  
Tested by a CertikLabs partner laboratory under contract.
- 3 Authenticated**  
Results checked by CertikLabs against the original lab record.
- 4 Published**  
Released to the permanent public record at the URL below.



Analytical testing was performed by an independent partner laboratory under contract to CertikLabs. CertikLabs authenticated the results against the original laboratory record before publication. Results apply only to the sample and lot identified above and make no safety, efficacy, sterility or intended-use claims. For research use only.

### RECORD FINGERPRINT

72f02627b1e233a4b49eb8b5743b6cfdda7900f54de1bc03a82df0b932c64553

