CERTIK LABS

TESTING - AUTHENTICATION - DOCUMENTATION

ENDOTOXIN REPORT

Document ER-97D994F390

Issued 2026-05-11

VERIFIED - RESULTS AUTHENTICATED BY CERTIKLABS Verified record

PRODUCT

Melanotan II 10mg

Prepared for **PeptidesDirect**

LOT	REPORT DATE	CUSTOMER
PD-MT2-2026A-211a	2026-05-11	PeptidesDirect
VERIFICATION ID	**DOCUMENT TYPE**	**TESTS REPORTED**
CL-PD-MELANOTAN-MT-2-10MG-97D994F3	Endotoxin report	1

ENDOTOXIN RESULT

TEST	METHOD	SPECIFICATION	RESULT	STATUS
Endotoxin	LAL (USP <85>)	As reported	**Pass**	PASS

SCAN TO VERIFY
this exact lot

AUTHENTICATION CHAIN

1. **Sample received**
   Sample submitted by the customer and logged against this lot.
2. **Laboratory analysis**
   Tested by a CertikLabs partner laboratory under contract.
3. **Authenticated**
   Results checked by CertikLabs against the original lab record.
4. **Published**
   Released to the permanent public record at the URL below.

Analytical testing was performed by an independent partner laboratory under contract to CertikLabs. CertikLabs authenticated the results against the original laboratory record before publication. Results apply only to the sample and lot identified above and make no safety, efficacy, sterility or intended-use claims. For research use only.

RECORD FINGERPRINT

97d994f3900dbae11f6afc557928c45327b6e36c82ae0490bfed9ede962f7129