



VERIFIED - RESULTS AUTHENTICATED BY CERTIKLABS

Verified record

### PRODUCT

# KLOW 80mg

Prepared for [PeptidesDirect](#)

|                                               |                                                 |                                   |
|-----------------------------------------------|-------------------------------------------------|-----------------------------------|
| LOT / SAMPLE<br><b>Clear Cap/Silver Crimp</b> | REPORT DATE<br><b>2026-06-19</b>                | CUSTOMER<br><b>PeptidesDirect</b> |
| VERIFICATION ID<br>CL-PD-KLOW-80MG-E04F425F   | DOCUMENT TYPE<br><b>Certificate of analysis</b> | TESTS REPORTED<br><b>2</b>        |

### ANALYTICAL RESULTS

| TEST      | METHOD         | SPECIFICATION | RESULT | STATUS   |
|-----------|----------------|---------------|--------|----------|
| Purity    | RP-HPLC        | As reported   | 99.75% | REPORTED |
| Endotoxin | LAL (USP <85>) | As reported   | Pass   | PASS     |



SCAN TO VERIFY  
this exact lot

### AUTHENTICATION CHAIN

- 1 Sample received**  
Sample submitted by the customer and logged against this lot.
- 2 Laboratory analysis**  
Tested by a CertikLabs partner laboratory under contract.
- 3 Authenticated**  
Results checked by CertikLabs against the original lab record.
- 4 Published**  
Released to the permanent public record at the URL below.



Analytical testing was performed by an independent partner laboratory under contract to CertikLabs. CertikLabs authenticated the results against the original laboratory record before publication. Results apply only to the sample and lot identified above and make no safety, efficacy, sterility or intended-use claims. For research use only.

### RECORD FINGERPRINT

e04f425f03c571076e48faa10f413ca58cfedb28906799f8ddcd523fccb4eae8

