



VERIFIED - RESULTS AUTHENTICATED BY CERTIKLABS

Verified record

### PRODUCT

# MOTS-C 40mg

Prepared for **PeptidesDirect**

|                                                         |                                          |                                   |
|---------------------------------------------------------|------------------------------------------|-----------------------------------|
| LOT / SAMPLE<br><b>Clear Cap</b>                        | REPORT DATE<br><b>2026-05-11</b>         | CUSTOMER<br><b>PeptidesDirect</b> |
| VERIFICATION ID<br>CL - PD - MOTS - C - 40MG - 252AA02F | DOCUMENT TYPE<br><b>Endotoxin report</b> | TESTS REPORTED<br><b>1</b>        |

### ENDOTOXIN RESULT

| TEST             | METHOD                       | SPECIFICATION                   | RESULT      | STATUS      |
|------------------|------------------------------|---------------------------------|-------------|-------------|
| <b>Endotoxin</b> | LAL (USP <85>), 2 replicates | Assay sensitivity <= 0.05 EU/mL | <b>Pass</b> | <b>PASS</b> |



SCAN TO VERIFY  
this exact lot

### AUTHENTICATION CHAIN

- 1 Sample received**  
Sample submitted by the customer and logged against this lot.
- 2 Laboratory analysis**  
Tested by a CertikLabs partner laboratory under contract.
- 3 Authenticated**  
Results checked by CertikLabs against the original lab record.
- 4 Published**  
Released to the permanent public record at the URL below.



Analytical testing was performed by an independent partner laboratory under contract to CertikLabs. CertikLabs authenticated the results against the original laboratory record before publication. Results apply only to the sample and lot identified above and make no safety, efficacy, sterility or intended-use claims. For research use only.

### RECORD FINGERPRINT

252aa02f11e4845959b8f4465553287b12643328938842087fd5ef8398439c84

